


Loun Smart Air Pump User Guide

If you need any support, don't hesitate to reach out to us at:


contact@linkstyle.life 1-888-419-4888

Product Contents

- 1 x Loun Smart Air Pump
- 1 x Flexible hose (Schrader valve head)
- 1 x Presta valve adapter
- 1 x Ball pump needle
- 1 x Swim ring valve adapter
- 1 x USB-C charging cable




Charging






Green light: 60 ~ 100% Yellow light: 30 ~ 60% Red light: 0 ~ 30%




Output: 5V 2A, 5V 1.5A

Power On/Off




Pull out the hose to turn on inflator.




Insert hose back into the hole to turn off.

The inflator will automatically shut off when it is inactive for 3 minutes



Hose Storage



Operations

Charging

Connect the air pump to a USB power source using the included USB-C charging cable. It is recommended to use a 5V / 2A adapter to charge the pump.

Charging Indicator

Green light: 60% to 100% charged

Yellow light: 30% to 60% charged

Red light: 0% to 30% charged

Power On

Pull out the air hose and the pump will turn on automatically.

Power Off

Completely push the air hose back into its receptacle to turn off pump.

The pump will turn off automatically after 3 minutes of inactivity or when battery is low.

Button Operations

- U: Unit/light button
 - Short press to toggle between display units: PSI, BAR, KPA, and kg/cm2
 - Press and hold to turn flashlight on and off
- M: Mode button
 - Press to toggle between Car, Motorcycle, Bicycle, Ball, and Custom modes
 - Press and hold for 5 seconds to put the air pump in pairing mode to connect with the Linkstyle app
- Power Button:
 - Short press to start or stop inflation
- -: minus button
 - Press to decrease preset pressure
- +: plus button
 - Press to increase preset pressure

Start Inflation

Short press the Power button to start inflation. The Measured Pressure portion of the display will show the current air pressure as it changes. The air pump will generate noise and heat during inflation. Avoid prolonged contact with hose and hose joints with your hand.

Stop Inflation

When measured pressure reaches the preset pressure, the pump will stop inflation automatically.

To stop inflation prematurely, press the Power button during inflation.

LED Lighting

Press and hold the U button to turn LED flashlight on or off.

Hose Storage

The hose can be stored within the air pump in the hose receptacle. Do not touch the hose after prolonged working time until after it has cooled down.

Measuring Pressure

After turning the air pump on, connect it to the object to be measured and the Measured Pressure portion of the display will show the measured pressure.

Resetting the Device

If the measured pressure is not zeroed when the air pump is on and not connected to an object, press and hold the + and - buttons together for 3 seconds to reset the device.

Smart Functions Install the Linkstyle app


Scan the QR code below to download and install the Linkstyle app. Register a new account on the app if you do not have one.



*Alternatively, you can also search for "Linkstyle" on the Apple App Store or Google Play Store to find the app.

***Important Note:

When registering an account in the Linkstyle app, be sure to set the region to United States of America.



Add Air Pump to App

- 1. From the "Devices" page of the Linkstyle app, tap the "Add" button to add a new device.
- 2. Turn on the air pump.
- 3. In the app interface, an icon representing the the air pump will pop up. Tap the icon and follow the on-screen instructions to add the air pump to app.

If you do not see the icon pop us after more than 30 seconds, try the following:

- make sure that Bluetooth connectivity is turned on
- tap the circular button on the top right corner of the "Add Device page to start the device search
- Press and hold the M button on the air pump for 5 seconds to put the air pump in pairing mode

Note:

- Do not pair the air pump with the app more than once.
- You can turn the air pump OFF with the Linkstyle app, but cannot use it to turn it ON.
- The device will be OFFLINE when it is turned off. Turning it back on will bring back online.

Notes & Specifications

Note:

This device has been cleaned from the factory. When difference in altitude or sensor tolerance causes measured pressure to not show zero, cleaning the air pump can improve pressure measurement accuracy.

Attention:

- 1. Do not leave device unattended while in use.
- 2. Keep away from combustibles and explosives.
- 3. Avoid moisture, sand, and dropping the device.
- 4. Do not store in extreme temperature.
- 5. Device contains built-in lithium battery. Do not discard or burn.
- 6. Keep out of reach of children.

Product Specifications

Model Number: GP2

Maximum Inflation Pressure: 150PSI

No-Load Flow: 20L/M

Charging Temperature: -10 C to 60 C

Working Temperature: 0 C to 60 C

Battery Capacity: 2000 mAh, 3.7V, 14.8WH

Charging Input: 5V/2A

USB Output: 5V/1.5A

Charging Time: 2 to 3 hours

Apple and Apple logos are trademarks of Apple, Inc., registered in the U.S. and other countries. App Store is a service mark of Apple, Inc.

Amazon, Alexa, and all related logos are trademarks of Amazon.com Inc. or its affiliates.

Google and Google Play are trademarks of Google LLC. Other third-party brands and names are the property of their respective owners.

Linkstyle.life

Unlocking the enchanted life!